

Water & Waste Solutions



High Efficiency & Compact Domestic Waste Water Treatment BioCask is the most efficient state-of-the-art technology* for domestic wastewater treatment. The innovative design of the BioCask has overcome all the limitations of conventional wastewater treatment systems. The BioCask uses a first-of-its-kind unidirectional fluidization pattern, that makes efficient use of oxygen that is required for biological degradation of organic impurities. The novel design of the aeration system in the BioCask also reduces the operating cost of the treatment

Salient Features

- Skid mounted
- Plug & Play Model
- Suitable for basement installation fits in clear heiht of 3.0 meters
- Improved quality of treated water suitable for recycling
- Single stage biological treatment
- Reduced operating cost due to high oxygen transfer efficiency
- Higher biomass concentration due to unique fluidization pattern
- Better outlet parameters due to higher biomass concentration
- Modular arrangements of bioreactor for higher flows
- Minimum civil work
- Meets prevailing stringent norms

Standard Capacities (in KLD)

- BioCask mini : 10 KLD & above
- BioCask: 50, 100, 150, 200, 250 and 300 (modular unit for higher capacities)

Market Segments


- Housing
- Hospitality
- Industries

- IT parks
- Shopping Malls/ Commercial Complexes
- Educational Institutes

Schematic Diagram



Thermax is recipient of award winning technology in waste water treatment



Achieve BOD < 5 ppm without ultrafiltration

Inlet Design Parameter & Outlet Guarantees

Parameter	Units	Raw Sewage	Treated Sewage	
SEGMENTS - HOTELS , MALLS, HOSPITALS & COMMERCIAL BUILDINGS				
Flow	KLD	50-300	50 - 300	
pH		6.5 - 7.5	6.5 - 7.5	
BOD	ppm	< 500	≤ 5	
COD	ppm	< 1000	≤ 30	
0&G	ppm	< 100	≤10	
TSS	ppm	< 400	≤ 5	

Parameter	Units	Raw Sewage	Treated Sewage	
SEGMENTS - HOUSING COLONIES, EDUCATIONAL INSTITUTES & INDUSTRIES				
Flow	KLD	50-300	50 - 300	
pH		6.5 - 7.5	6.5 - 7.5	
BOD	ppm	< 300	≤ 5	
COD	ppm	< 600	≤ 30	
0&G	ppm	< 50	≤ 10	
TSS	ppm	< 300	≤ 5	

Options / Add-ons (as per customer need)

■ Ultra Violet (UV) System ■ Ozonator ■ Ultra Filtration Reverse Osmosis (RO) ■ N & P removal



Sustainable Solutions in Energy & Environment

Registered Office

D-13, MIDC Industrial Area, R D Aga Road, Chinchwad, Pune 411019, India

Tel: +91 20 66122999 / 66155000

Fax: +91 20 27472049

enquiry@thermaxglobal.com

Thermax Business Portfolio

- Heating
- Cooling
- Power Generation
- Air Pollution Control
- Chemicals
- Water and Waste Water Solutions
- Solar
- Specialised Services

www.thermaxglobal.com

^{*}Patent no. : 266787

^{*}Thermax reserves the right to amend any product details without notice